

RELIABILITY TEST REPORT

Report No: 20210629003

Page: 1 of 4

Date: June 29, 2021

RAYTAC CORPORATION
5F., NO.3, JIANKANG ROAD, ZHONGHE DISTRICT,
NEW TAIPEI CITY, 23586, TAIWAN

Product Description: nRF52832 Bluetooth Module
Style / Item No.: MDBT42Q-512KV2/P512KV2 / No.1, No.2
Manufacturer/ Vendor: Raytac Corporation
Country of Origin: Taiwan
Testing Required: Thermal Shock Test
Testing Method: JASO D001-94, Clause 5.17
Quantity: Total 2 sets
Testing Period: Jun. 22, 2021 to Jun. 25, 2021
Testing Results: -Please See Attached Sheets

**Signed for and on behalf of
Raytac Corporation.**

Stanley Huang
Deputy Manager

RELIABILITY TEST REPORT

Report No: 20210629003

Page: 2 of 4

Date: June 29, 2021

1. Thermal Shock Test:

Test Equipment:

Name	Brands	Model	Serial No.
Testing Chamber	Haich	HC-TOPH-22-CH	QHC20200707-122-3
DC Power Supply	GOODWILL	GPC-1850D	E873364


Lab Environmental Conditions:

Ambient Temperature: $(25 \pm 3) ^\circ\text{C}$

Ambient humidity: $(55 \pm 20) \% \text{ RH}$

Test Method/ Specification:

Test method: Refer to JASO D001-94, Clause 5.17



- Sample Condition: Operating
- The temperature transition time shall be within 1 minute.
- Examine the appearance of specimen(s) by visual check and perform functional check during this test.
- Functional check: Connect the specimen(s) with notebook and examine whether the signal transmission could work normally or not.

RELIABILITY TEST REPORT

Report No: 20210629003

Page: 3 of 4

Date: June 29, 2021

Specimen:

Style / Item No.: MDBT42Q-512KV2/P512KV2 / No.1, No.2

Quantity: Total 2 sets

Testing time: 36 cycles * 2 hours = 72 hours

Data packet size: 244 bytes

Data rate: 244 bytes * 4 packets/sec = 976 bytes/sec

Number of data sent: Total 252,979,200 bytes

Test Result:

Check Item Style/Items No.	Appearance check (Visual check)	Functional Check
MDBT42Q-512KV2 / No.1	No visible damage	No data loss
MDBT42Q-P512KV2 / No.2	No visible damage	No data loss


RELIABILITY TEST REPORT

Report No: 20210629003

Page: 4 of 4

Date: June 29, 2021


Test Photos:




1. Appearance of specimen




2. Thermal Shock Test



3. Thermal Shock Test



4. Functional check
MDBT42Q-512KV2 / No.1



5. Functional check
MDBT42Q-P512KV2 / No.2

The End of Test Report